



Flooring

Luxury Vinyl Tile (LVT) is the best choice for many commercial locations due to its high durability and easy maintenance.

WHY FORTRESS LVT?

Designed by us. Available exclusively at Flooring Solutions.

THE SPECIFICATIONS

🔥 100% EXCLUSIVE

Custom designed. Only at Flooring Solutions.

🎨 PREMIUM VISUALS

High-definition, ultra-realistic natural wood graphics.

🛡️ BUILT TO LAST

2mm thick solid engineering with a 0.2mm heavy wear layer.

📦 PREMIUM PACKAGING

Safely delivered in our signature heavy-duty retail boxes.



THE LIFESTYLE BENEFITS

- ✓ **Stylish, contemporary finishes**
Curated modern palettes tailored for beautiful spaces.
- ✓ **Designed for everyday life**
Resilient, highly durable construction handles busy traffic easily.
- ✓ **Easy to clean & maintain**
Stain resistant surfaces allow for swift, stress-free upkeep.
- ✓ **Highly versatile flooring**
Beautifully complements a massive variety of commercial or home interiors.





Flooring Solutions
Quality at the right price

Luxury Vinyl

Plank

Tile

457.2 x 609.6mm (18" x 24")

457.2 x 914.4mm (18" x 36")

184.15 x 1219.2mm (7.25" x 48")

228.6 x 1524mm (9" x 60")



Flooring Solutions
Quality at the right price

LVT Dry Back

Size/mm
1219.3x228.6mm

Thickness/mm
2 mm

Wear Layer/mm
0.2mm

DN2023-24



Flooring Solutions

Quality at the right price

LVT Dry Back

Size/mm
1219.3x228.6mm

Thickness/mm
2 mm

Wear Layer/mm
0.2mm

DN1105-30



Flooring Solutions

Quality at the right price



LVT Dry Back

Size/mm
1219.3x228.6mm

Thickness/mm
2 mm

Wear Layer/mm
0.2mm

DN3010-25B



Flooring Solutions

Quality at the right price

LVT Dry Back

Size/mm
1219.3x228.6mm

Thickness/mm
2 mm

Wear Layer/mm
0.2mm

DN9817-14

Dryback LVT Flooring ▾

Also known as glue down LVT, it requires an adhesive to installation. Although its thickness is usually 2~3mm, it is very stable and durable.

- ① UV coating
- ② Wear layer
- ③ HD decor films
- ④ Middle Layer
- ⑤ Backing Layer

-  Maximum durability
-  Water-resistant and maintenance friendly
-  Infinite layouts



	Size/mm	Thickness/mm	Wear Layer/mm
Dryback LVT Flooring	1219.3x228.6mm	2mm	0.2mm