



LVT Flooring

Luxury Vinyl Tile (LVT) is the best choice for many commercial locations due to its high durability and easy maintenance.

Why Fortress LVT?

DESIGNED BY US. AVAILABLE EXCLUSIVELY AT FLOORING SOLUTIONS.

The Specifications

100% EXCLUSIVE

Custom designed. Only at Flooring Solutions.

PREMIUM VISUALS

High-definition, ultra-realistic natural wood graphics that elevate any room.

BUILT TO LAST

2mm thick solid engineering with a 0.2mm heavy wear layer for maximum resilience.

PREMIUM PACKAGING

Safely delivered in our signature heavy-duty retail boxes ensuring perfect condition.

The Lifestyle Benefits

STYLISH, CONTEMPORARY FINISHES

Curated modern palettes tailored for beautiful spaces and timeless appeal.

DESIGNED FOR EVERYDAY LIFE

Resilient, highly durable construction handles busy traffic easily without showing wear.

EASY TO CLEAN & MAINTAIN

Stain resistant surfaces allow for swift, stress-free upkeep for modern living.

HIGHLY VERSATILE FLOORING

Beautifully complements a massive variety of commercial or home interiors effortlessly.



Fortress LVT
DRY BACK LVT FLOORING

www.flooringsolutions.co.za



Flooring Solutions
Quality at the right price

Luxury Vinyl

Plank

Tile

457.2 x 609.6mm (18" x 24")

457.2 x 914.4mm (18" x 36")

184.1 x 1219.2mm (7.25" x 48")

228.6 x 1524mm (9" x 60")



Flooring Solutions
Quality at the right price

LVT Dry Back

Size/mm
1219.3x228.6mm

Thickness/mm
2 mm

Wear Layer/mm
0.2mm

DN2023-24



Flooring Solutions

Quality at the right price

LVT Dry Back

Size/mm
1219.3x228.6mm

Thickness/mm
2 mm

Wear Layer/mm
0.2mm

DN1105-30



Flooring Solutions

Quality at the right price



LVT Dry Back

Size/mm
1219.3x228.6mm

Thickness/mm
2 mm

Wear Layer/mm
0.2mm

DN3010-25B



Flooring Solutions

Quality at the right price

LVT Dry Back

Size/mm
1219.3x228.6mm

Thickness/mm
2 mm

Wear Layer/mm
0.2mm

DN9817-14



Fortress LVT
DRY BACK LVT FLOORING

Dryback LVT Flooring

Also known as glue-down LVT, it requires an adhesive for installation.

Although its thickness is usually 2-3mm, it is exceptionally stable, durable, and allows for infinite layout possibilities. Water-resistant and maintenance-friendly.

Product Structure

UV Coating

Maximum durability and stain resistance

Wear Layer (0.2mm)

Protects against scratches and scuffs

HD Decor Film

High-definition ultra-realistic wood visuals

Middle Layer

Provides structural stability and resilience

Backing Layer

Ensures secure adhesive bonding



Maximum durability



Water-resistant and maintenance friendly



Infinite layouts



Size/mm

Thickness/mm

Wear Layer/mm

Dryback
LVT
Flooring

1219.3x228.6mm

2mm

0.2mm



Fortress LVT
DRY BACK LVT FLOORING

www.flooringsolutions.co.za